DIVISION OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040 ORIGINAL-Div. File
DUPLICATE-Div. NBMG

Address 20590 Wedge Parkway Reno, NV 89511

RECEIVED

JAN 1 7 2007

COMMERCIAL AND INDUSTRIAL CLASS GEOTHERMAL SUBSURFACE INJECTION REPORT

Company

Ormat Nevada Inc.

Division of Minerals

Plant/Project Steamb	oat Hills Unit		. County	Washoe	Month of	December, 2006
Show each injection well sep	parately. File no	t later than the l	ast day of the mon	th for the preced	ling month.	
		GEOTHERMAL	FLUIDS INJECTED			Reservoir
Field & lease name	Well No.	MM Gallons	MM Gallons	Average	Injection	depth &
		per day	per month	Temp.	Pressure	formation
Cox Lease Permit # 560	64A-32	3.56	76.15	249.8	32.3	1,870 ft. Granodiorite
YCJV Fee Permit # 79	32-5	0.00	0.00	Shut-In	Shut-In	2,710 ft. Granodiorite
YCJV Fee Permit # 340	13-5	0.00	0.00	Shut-In	Shut-In	2,962 ft. Granodiorite
Totals			76.15			
This report to be filed by t	ne end of the m	onth following	the month herein	reported		
I hereby certify that the abov	re information giv	ven herewith is t	rue, correct, and c	omplete to the b	est of my knowl	edge.
				Signature:	<u></u>	Ball
				Print Name:	Ro	bert Filut
				Position:	Operat	ions Manager
				Phone:	775-852	2-1444 Ext. 14
				Date:	1:	I-Jan-07

DIVISION OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040 ORIGINAL-Div. File
DUPLICATE-Div. NBMG

RECEIVED

DEC 0 7 2006

COMMERCIAL AND INDUSTRIAL CLASS GEOTHERMAL SUBSURFACE INJECTION REPORT

Division of Minerals

Company	mpany Ormat Nevada Inc.				Address 20590 Wedge Parkway Reno, NV 89511				
Plant/Project	Steambo	oat Hills Unit		County	Washoe	Month of	November, 2006		
Show each injecti	on well sep	arately. File no	ot later than the la	ast day of the mor	nth for the preced	ling month.			
Field & lease	name	Well No.	MM Gallons	FLUIDS INJECTED MM Gallons	Average Temp.	Injection	Reservoir depth &		
			per day	per month		Pressure	formation		
Cox Lease Perr	mit # 560	64A-32	4.55	120.49	249.2	28.8	1,870 ft. Granodiorite		
YCJV Fee Pern	nit # 79	32-5	0.00	0.00	Shut-In	Shut-In	2,710 ft. Granodiorite		
YCJV Fee Pern	nit # 340	13-5	0.00	0.00	Shut-In	Shut-In	2,962 ft. Granodiorite		
Totals				120.49					
This report to be	filed by th	e end of the m	onth following	the month hereir	ı reported				
I hereby certify th	at the above	e information giv	ven herewith is ti	rue, correct, and c	complete to the b	est of my knowle	edge.		
					Signature:	Ra	2Filt		
					Print Name:	Ro	bert Filut		
					Position:	Operati	ons Manager		

Phone:

Date:

775-852-1444 Ext. 14

5-Dec-06

DIVISION OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040 ORIGINAL-Div. File
DUPLICATE-Div. NBMG

Address 20590 Wedge Parkway Reno, NV 89511

RECEIVED

NOV 0 6 2006

Division of Minerals

COMMERCIAL AND INDUSTRIAL CLASS GEOTHERMAL SUBSURFACE INJECTION REPORT

Company

Ormat Nevada Inc.

Plant/Project <u>Steam</u>	boat Hills Unit		County	Washoe	Month of _	October, 2006
Show each injection well s	eparately. File	not later than the	e last day of the mo	onth for the prec	eding month.	
		GEOTHERMAL	FLUIDS INJECTED			Reservoir
Field & lease name	Well No.	MM Gallons per day	MM Gallons per month	Average Temp.	Injection Pressure	depth & formation
Cox Lease	64A-32	5.02	155.73	253.3	36.8	1,870 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00	Shut-In	Shut-In	2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00	Shut-In	Shut-In	2,962 ft. Granodiorite
Totals	· · · · · · · · · · · · · · · · · · ·		155.73			
This report to be filed by					best of my knov	vledge.
				Signature:	Kı	tofill
				Print Name:	Rol	pert Filut
				Position:	Operati	ons Manager
				Phone:	775-852	-1444 Ext. 14
				Date:	3-	Nov-06

DIVISION OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040 ORIGINAL-Div. File

DUPLICATE-Div. NEW C F V E D

OCT 0 6 2006

Division of Minerals

COMMERCIAL AND INDUSTRIAL CLASS GEOTHERMAL SUBSURFACE INJECTION REPORT

Address 20590 Wedge Parkway Reno, NV 89511

Ormat Nevada Inc.

Company

Plant/Project S	teamboat Hills Unit		County	Washoe	Month of	September, 2006
Show each injection	well separately. File	not later than the	e last day of the mo	onth for the prec	eding month.	
		GEOTHERMAL	FLUIDS INJECTED			Reservoir
Field & lease na	me Well No.	MM Gallons per day	MM Gallons per month	Average Temp.	Injection Pressure	depth & formation
Cox Lease	64A-32	4.50	135.10	251.7	34.3	1,870 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00	Shut-In	Shut-In	2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00	Shut-In	Shut-In	2,962 ft. Granodiorite
Totals			135.10			
-	ed by the end of the		_	·		
I hereby certify that t	he above information	given herewith is	true, correct, and	complete to the	best of my kno	wledge.
				Signature:	Put	Filt
				Print Name:	Ro	obert Filut
				Position:	Operat	ions Manager
				Phone:	775-85	2-1444 Ext. 14
				Date:		I-Oct-06

DIVISION OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040



Division of Minerals

COMMERCIAL AND INDUSTRIAL CLASS GEOTHERMAL SUBSURFACE INJECTION REPORT

Company	Offilat	. Nevaua IIIC.		Address	20590 Wedge	Parkway Ren	5, NV 89511
Plant/Project	Steam	boat Hills Unit		County	Washoe	. Month of _	August, 2006
Show each inject	ion well s	eparately. File	not later than the	e last day of the m	onth for the prec	eding month.	
Field & lease	e name	Well No.	GEOTHERMAL MM Gallons per day	FLUIDS INJECTED MM Gallons per month	Average Temp.	Injection Pressure	Reservoir depth & formation
Cox Lea	ase	64A-32	3.67	113.77	245.1	25.8	1,870 ft. Granodiorite
YCJV F	ee	32-5	0.00	0.00	Shut-In	Shut-In	2,710 ft. Granodiorite
YCJV F	ee	13-5	0.00	0.00	Shut-In	Shut-In	2,962 ft. Granodiorite
Totalo				110.77			
·	-			113.77 g the month here true, correct, and	•	best of my know	rledge.
					·	·	
				•	Signature:	Ro	Till
					Print Name:	Rob	ert Filut
					Position:	Operation	ons Manager
					Phone:	775-852-	-1444 Ext. 14
					Date:	11-	Sep-06

DIVISION OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040



AUG 0 8 2006

Division of Minerals

July, 2006

Address 20590 Wedge Parkway Reno, NV 89511

Month of

COMMERCIAL AND INDUSTRIAL CLASS GEOTHERMAL SUBSURFACE INJECTION REPORT

County Washoe

Company

Plant/Project

Ormat Nevada Inc.

Steamboat Hills Unit

	Well No.	GEOTHERMAL FLUIDS INJECTED				Reservoir
Field & lease name		MM Gallons per day	MM Gallons per month	Average Temp.	Injection Pressure	depth & formation
Cox Lease	64A-32	3.63	110.00	243.9	25.3	1,870 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00	Shut-In	Shut-In	2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00	Shut-In	Shut-In	2,962 ft. Granodiorite
					1	
ls			110.00			
report to be filed by			g the month here		best of my kno	wledge.
report to be filed by			g the month here	complete to the	K	wledge. FJU
report to be filed by			g the month here	complete to the	fu Ro	A Filt
report to be filed by			g the month here	Complete to the Signature:	Ro	TFJU obert Filut

DIVISION OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040 ORIGINAL-Div. File
DUPLICATE-Div. NBMG

RECEIVED

JUL 1 2 2006

COMMERCIAL AND INDUSTRIAL CLASS GEOTHERMAL SUBSURFACE INJECTION REPORT

Division of Minerals

Ormat	Nevada Inc.	······································	Address 20590 Wedge Parkway Reno, NV 89511			
Steam	boat Hills Unit		County	Washoe	Month of_	June, 2006
on well s	eparately. File	not later than the	e last day of the m	onth for the prec	eding month.	
name	Well No.	GEOTHERMAL MM Gallons per day	FLUIDS INJECTED MM Gallons per month	Average Temp.	Injection Pressure	Reservoir depth & formation
se	64A-32	3.76	112.86	239.3	25.0	1,870 ft. Granodiorite
ee	32-5	0.00	0.00	Shut-In	Shut-In	2,710 ft. Granodiorite
ee	13-5	0.00	0.00	Shut-In	Shut-In	2,962 ft. Granodiorite
			112.86			
filed by	the end of the	month followin	g the month here	in reported		
at the ab	ove information	given herewith is	s true, correct, and	complete to the	best of my know	vledge.
				Signature:	R	STALL
				Print Name:	Rol	bert Filut
				Position:	Operation	ons Manager
				Phone:	775-852	-1444 Ext. 14
				Date:	7-	-Jul-06
	Steam on well s name se ee	name Well No. se 64A-32 ee 32-5 ee 13-5	Steamboat Hills Unit on well separately. File not later than the Mell No. GEOTHERMAL MM Gallons per day	Steamboat Hills Unit County on well separately. File not later than the last day of the month on well separately. File not later than the last day of the month on well separately. File not later than the last day of the month on well separately. File not later than the last day of the month on well separately. File not later than the last day of the month of the mon	Steamboat Hills Unit County Washoe on well separately. File not later than the last day of the month for the preceded on well separately. File not later than the last day of the month for the preceded on well separately. File not later than the last day of the month for the preceded on well separately. File not later than the last day of the month for the preceded on well separately. File not later than the last day of the month for the preceded on the month following MM Gallons per month Average Temp. Average Temp. 112.86	Steamboat Hills Unit County Washoe Month of on well separately. File not later than the last day of the month for the preceding month. Description County Cou

DIVISION OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040 ORIGINAL-Div. File
DUPLICATE-Div. NBMG

Address 20590 Wedge Parkway Reno, NV 89511

RECEIVED

JUN 1 9 2006

COMMERCIAL AND INDUSTRIAL CLASS GEOTHERMAL SUBSURFACE INJECTION REPORT

Company

Ormat Nevada Inc.

Division of Minerals

Plant/Project Steam	boat Hills Unit		County	Washoe	Month of	May, 2006
Show each injection well se	eparately. File	not later than the	e last day of the mo	onth for the prec	eding month.	
Field & lease name	Well No.	GEOTHERMAL MM Gallons per day	FLUIDS INJECTED MM Gallons per month	Average Temp.	Injection Pressure	Reservoir depth & formation
Cox Lease	64A-32	3.80	116.39	242.2	24.1	1,870 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00	Shut-In	Shut-In	2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00	Shut-In	Shut-In	2,962 ft. Granodiorite
Totals		<u> </u>	116.39			
This report to be filed by	the end of the	month following	g the month here	in reported		
I hereby certify that the abo	ove information (given herewith is	true, correct, and	complete to the	best of my know	rledge.
					0	

Signature:

Print Name:

Position:

Phone:

Date:

Robert Filut

Operations Manager

775-852-1444 Ext. 14

9-Jun-06

DIVISION OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040 ORIGINAL-Div. File
DUPLICATE-Div. NBMG

Address 20590 Wedge Parkway Reno, NV 89511

RECEIVED

MAY 1 5 2006

Division of Minerals

COMMERCIAL AND INDUSTRIAL CLASS GEOTHERMAL SUBSURFACE INJECTION REPORT

Company

Ormat Nevada Inc.

Plant/Project <u>Steam</u>	boat Hills Unit		County	Washoe	Month of	April, 2006
Show each injection well se	eparately. File	not later than the	e last day of the m	onth for the prec	eding month.	
Field & lease name	Well No.	GEOTHERMAL MM Gallons per day	FLUIDS INJECTED MM Gallons per month	Average Temp.	Injection Pressure	Reservoir depth & formation
Cox Lease	64A-32	3.77	113.00	238.3	22.6	1,870 ft. Granodiorite 2,710 ft.
YCJV Fee	32-5	0.00	0.00	Shut-In	Shut-In	Granodiorite 2,962 ft.
YCJV Fee	13-5	0.00	0.00	Shut-In	Shut-In	Granodiorite
otals	****		113.00			
This report to be filed by hereby certify that the abo				-	best of my kno	wledge.
				Print Name:	Robert Filut	
				Position:		ions Manager
				Phone:		2-1444 Ext. 14
				Date:	9-	-May-06

DIVISION OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040 ORIGINAL-Div. File
DUPLICATE-Div. NBMG

Address 20590 Wedge Parkway Reno, NV 89511

RECEIVED

APR 2 1 2006

Division of Minerals

COMMERCIAL AND INDUSTRIAL CLASS GEOTHERMAL SUBSURFACE INJECTION REPORT

Company

Ormat Nevada Inc.

Plant/Project <u>S</u>	teamboat Hills Unit		County	Washoe	Month of_	March, 2006
Show each injection v	well separately. File r	not later than the	e last day of the mo	onth for the prec	eding month.	
Field & lease na	me Well No.	GEOTHERMAL MM Gallons per day	FLUIDS INJECTED MM Gallons per month	Average Temp.	Injection Pressure	Reservoir depth & formation
Cox Lease YCJV Fee	64A-32 32-5	3.81	118.04 0.00	238.5 Shut-In	21.6 Shut-In	1,870 ft. Granodiorite 2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00	Shut-In	Shut-In	2,962 ft. Granodiorite
	ed by the end of the i			•	best of my knov	vledge.
				Signature: Print Name: Position: Phone:	Operatio	pert Filut ons Manager -1444 Ext. 14

Date:

12-Apr-06

M

RECEIVED

APR 2 1 2006

Division of Minerals



April 11, 2006

Division of Minerals 400 W. King Street, Suite 106 Carson City, NV 89703

RE: Monthly Production and Injection Reports

Enclosed is the *March* monthly report of production, injection and plant operations for Ormat Nevada Inc., Steamboat I/IA, Steamboat II/III, Steamboat Hills, and Galena Power Plants.

Please call my office at 852-1444 ext. 14 if you should have any questions.

Sincerely,

Robert Filut

Operations Manager

Copy: Wade Posten, Plant Manager

DIVISION OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040 ORIGINAL-Div. File
DUPLICATE-Div. NBMG

Address 20590 Wedge Parkway Reno, NV 89511

RECEIVED

MAR 1 3 2006

Division of Minerals

COMMERCIAL AND INDUSTRIAL CLASS GEOTHERMAL SUBSURFACE INJECTION REPORT

Company

Ormat Nevada Inc.

Plant/Project	Steam	boat Hills Unit		County	Washoe	Month of _	February, 2006
Show each injection	n well se	eparately. File r	not later than the	e last day of the mo	onth for the prec	eding month.	
Field & lease n	ame	Well No.	GEOTHERMAL MM Gallons per day	FLUIDS INJECTED MM Gallons per month	Average Temp.	Injection Pressure	Reservoir depth & formation
Cox Lease	e	64A-32	3.81	106.68	239.8	22.9	1,870 ft. Granodiorite
YCJV Fee	∍	32-5	0.00	0.00	Shut-In	Shut-In	2,710 ft. Granodiorite
YCJV Fee	€	13-5	0.00	0.00	Shut-In	Shut-In	2,962 ft. Granodiorite
Cox Lease	e	COXI-1	0.00	0.00	Shut-In	Shut-In	3,162 ft. Granodiorite
Totals				106.68			
This report to be fi	lad by	the and of the	month followin		in ronortod	***************************************	
I hereby certify that	_					best of my know	vledge.
					Signature:	Por	Filt
					Print Name:	Ro	bert Filut
					Position:	Operati	ons Manager
					Phone:	775-852	-1444 Ext. 14
					Date:	9-	Mar-06

DIVISION OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040 ORIGINAL-Div. File
DUPLICATE-Div. NBMG

RECEIVED

FEB 1 5 2006

COMMERCIAL AND INDUSTRIAL CLASS Division of Minerals GEOTHERMAL SUBSURFACE INJECTION REPORT

Address 20590 Wedge Parkway Reno, NV 89511

Company

Ormat Nevada Inc.

Plant/Project <u>Steam</u>	nboat Hills Unit		County_	Washoe	Month of _	January, 2006
show each injection well s	eparately. File	not later than the	e last day of the mo	nth for the prec	eding month.	
		GEOTHERMAL FLUIDS INJECTED				Reservoir
Field & lease name	Well No.	MM Gallons per day	MM Gallons per month	Average Temp.	Injection Pressure	depth & formation
Cox Lease	64A-32	3.65	113.30	240.3	23.6	1,870 ft. Granodiorite
YCJV Fee	32-5	0.00	0.00	Shut-In	Shut-In	2,710 ft. Granodiorite
YCJV Fee	13-5	0.00	0.00	Shut-In	Shut-In	2,962 ft. Granodiorite
Cox Lease	COXI-1	0.00	0.00	Shut-In	Shut-In	3,162 ft. Granodiorite
otals			142.20			
			113.30			
his report to be filed by			_	-	best of my know	vledge.
			;	Signature:	R-	Walt
			I	Print Name:	Rok	pert Filut
			1	Position:	Operation	ons Manager
				Phone:		-1444 Ext. 14

Date:

10-Feb-06