

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPLICATE-Company File

RECEIVED

JAN 08 1998

COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT

Div. of Minerals

Company Oxbow Geothermal Corp. Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511

Plant/Project Dixie Valley Unit County Churchill Month of December 1997

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			39.07 Mgal	340 Deg F.
28-33	41243			68.24 Mgal	331 Deg F.
37-33	426PA			64.43 Mgal	325 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			0.00 Mgal	Not Flowed
73-7	47274			41.78 Mgal	325 Deg F.
74-7	47265			52.35 Mgal	332 Deg F.
76-7	47278			58.90 Mgal	333 Deg F.
82-7	47288			67.85 Mgal	334 Deg F.
84-7	41929			28.04 Mgal	333 Deg F.
73B-7	428			67.15 Mgal	323 Deg F.
Totals			41248.6 MWH	487.80 Mgal	

This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for use into SWL-1 as follows:

Total	Pressure	Temperature
0.00 Mgal	0 psig.	0 Deg F.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature

William L. Desormier

Print Name

William L. Desormier

Telephone

(702) 851-1199

Date

1/6/98

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPLICATE-Company File

RECEIVED

DEC 04 1997

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Div. of Minerals

Company Oxbow Geothermal Corp. Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511
Plant/Project Dixie Valley Unit County Churchill Month of November 1997

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			35.82 Mgal	340 Deg F.
28-33	41243			62.56 Mgal	331 Deg F.
37-33	426PA			59.07 Mgal	325 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			0.00 Mgal	Not Flowed
73-7	47274			41.81 Mgal	324 Deg F.
74-7	47265			52.38 Mgal	331 Deg F.
76-7	47278			41.01 Mgal	331 Deg F.
82-7	47288			67.83 Mgal	333 Deg F.
84-7	41929			28.06 Mgal	332 Deg F.
73B-7	428			67.13 Mgal	322 Deg F.
Totals			40078.8 MWH	455.66 Mgal	


This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for use into SWL-1 as follows:

Total	Pressure	Temperature
0.00 Mgal	0 psig.	0 Deg F.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature



Print Name

William L. Desormier

Telephone

(702) 825-4345

Date

12/2/97

STATE OF NEVADA
 DEPARTMENT OF BUSINESS AND INDUSTRY
 DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 687-5050

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG
 TRIPLICATE-Company File

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Oxbow Geothermal Corp. Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511

Plant/Project Dixie Valley Unit County Churchill Month of October 1997

PLANT OUTPUT


Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			35.05 Mgal	339 Deg F.
28-33	41243			72.14 Mgal	332 Deg F.
37-33	426PA			59.50 Mgal	339 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			0.00 Mgal	Not Flowed
73-7	47274			47.61 Mgal	326 Deg F.
74-7	47265			57.01 Mgal	330 Deg F.
76-7	47278			27.43 Mgal	316 Deg F.
82-7	47288			69.34 Mgal	332 Deg F.
84-7	41929			28.77 Mgal	331 Deg F.
73B-7	428			64.04 Mgal	322 Deg F.
Totals			39163.9 MWH	460.88 Mgal	

This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for use into SWL-1 as follows:

Total	Pressure	Temperature
19.74 Mgal	85 psig.	72 Deg F.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Print Name William L. Desormier
 Telephone (702) 825-4345
 Date 11/3/97

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPLICATE-Company File

RECEIVED

OCT 07 1997

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Div. of Minerals

Company Oxbow Geothermal Corp. Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511

Plant/Project Dixie Valley Unit County Churchill Month of September 1997

PLANT OUTPUT


Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			26.95 Mgal	339 Deg F.
28-33	41243			79.24 Mgal	333 Deg F.
37-33	426PA			58.61 Mgal	338 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			0.00 Mgal	Not Flowed
73-7	47274			47.58 Mgal	327 Deg F.
74-7	47265			55.03 Mgal	329 Deg F.
76-7	47278			45.31 Mgal	331 Deg F.
82-7	47288			59.00 Mgal	321 Deg F.
84-7	41929			25.23 Mgal	330 Deg F.
73B-7	428			47.03 Mgal	302 Deg F.
Totals			39340.9 MWH	443.99 Mgal	

This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for use into SWL-1 as follows:

Total	Pressure	Temperature
31.01 Mgal	90 psig.	77 Deg F.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
Print Name William L. Desormier
Telephone (702) 825-4345
Date 10/1/97

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPLICATE-Company File

RECEIVED

SEP 04 1997

COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT

Div. of Minerals

Company Oxbow Geothermal Corp. Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511

Plant/Project Dixie Valley Unit County Churchill Month of August 1997

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			27.88 Mgal	339 Deg F.
28-33	41243			82.01 Mgal	333 Deg F.
37-33	426PA			60.66 Mgal	337 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			3.92 Mgal	309 Deg F.
73-7	47274			50.80 Mgal	328 Deg F.
74-7	47265			57.36 Mgal	329 Deg F.
76-7	47278			45.48 Mgal	329 Deg F.
82-7	47288			64.90 Mgal	333 Deg F.
84-7	41929			26.12 Mgal	330 Deg F.
73B-7	428			51.71 Mgal	323 Deg F.
Totals			41169.7 MWH	470.82 Mgal	


This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for use into SWL-1 as follows:

Total	Pressure	Temperature
34.63 Mgal	85 psig.	80 Deg F.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature



Print Name

William L. Desormier

Telephone

(702) 825-4345

Date

9/2/97

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPLICATE-Company File

**COMMERCIAL AND INDUSTRIAL CLASS
GEOHERMAL SUBSURFACE INJECTION REPORT**

Company Oxbow Geothermal Corp. Address 9790 Gateway Drive, Suite 220, Reno, Nevada 8

Plant/Project Dixie Valley Unit County Churchill Month of July 1997

Show each injection well separately. File not later than the last day of the month for the preceding month.

Field and lease name	Well No.	GEOHERMAL FLUIDS INJECTED		Average Temp.	Injection Pressure	Reservoir depth & formation
		Gallons per day	Gallons per month			
Dixie Valley Field (all)						
Lease N-12393	25-5	6.20 Mgal	192.08 Mgal	222 Deg F.	12 psig.	6193-6215' Miocene Basalt
Lease N-12393	45-5	0.76 Mgal	23.48 Mgal	217 Deg F.	7 psig.	6200-6300' Miocene Basalt
Lease Lamb Fee	32-18	1.00 Mgal	30.93 Mgal	233 Deg F.	41 psig.	7360-7374' Miocene Basalt
Lease Lamb Fee	41-18	1.13 Mgal	35.13 Mgal	230 Deg F.	70 psig.	9635-9700' Jurassic Gabbro
Lease Lamb Fee	52-18	0.47 Mgal	14.68 Mgal	230 Deg F.	70 psig.	9500-9600' Jurassic Gabbro
Lease N-12862	65-18	1.11 Mgal	34.38 Mgal	228 Deg F.	79 psig.	9265-9417' Jurassic Gabbro
Lease Lamb Fee	SWL-1	0.68 Mgal	21.01 Mgal	80 Deg F.	50 psig.	7191-7256' Miocene Basalt
Lease Lamb Fee	SWL-3	1.13 Mgal	35.02 Mgal	229 Deg F.	53 psig.	7070-7450' Miocene Basalt
Totals			386.70 Mgal			

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature

William F. Deonier

Position

Project Geologist

Date

8/14/97

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPPLICATE-Company File

Revised

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Oxbow Geothermal Corp. Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511

Plant/Project Dixie Valley Unit County Churchill Month of July 1997

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			26.46 Mgal	333 Deg F.
28-33	41243			78.69 Mgal	331 Deg F.
37-33	426PA			39.10 Mgal	335 Deg F.
45-33	47142			10.94 Mgal	231 Deg F.
63-7	47214			26.82 Mgal	170 Deg F.
73-7	47274			47.81 Mgal	317 Deg F.
74-7	47265			52.70 Mgal	328 Deg F.
76-7	47278			45.17 Mgal	329 Deg F.
82-7	47288			63.10 Mgal	331 Deg F.
84-7	41929			23.89 Mgal	330 Deg F.
73B-7	428			50.31 Mgal	323 Deg F.
Totals			40128.8 MWH	464.98 Mgal	

This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for use into SWL-1 as follows:

Total	Pressure	Temperature
21.01 Mgal	91 psig.	80 Deg F.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature

William L. Desormier

Print Name

William L. Desormier

Telephone

(702) 825-4345

Date

8/7/97

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPLICATE-Company File

RECEIVED

AUG 07 1997

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Div. of Minerals

Company Oxbow Geothermal Corp. Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511


Plant/Project Dixie Valley Unit County Churchill Month of July 1997

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			26.46 Mgal	333 Deg F.
28-33	41243			78.69 Mgal	331 Deg F.
37-33	426PA			39.10 Mgal	335 Deg F.
45-33	47142			10.94 Mgal	331 Deg F.
63-7	47214			26.82 Mgal	329 Deg F.
73-7	47274			47.81 Mgal	327 Deg F.
74-7	47265			52.70 Mgal	328 Deg F.
76-7	47278			45.17 Mgal	329 Deg F.
82-7	47288			63.10 Mgal	331 Deg F.
84-7	41929			23.89 Mgal	330 Deg F.
73B-7	428			50.31 Mgal	323 Deg F.
Totals			40128.8 MWH	464.98 Mgal	

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
Print Name William L. Desormier
Telephone (702) 825-4345
Date 8/5/97

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPLICATE-Company File

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**


Company Oxbow Geothermal Corp. Address 5250 S. Virginia St., Suite 304, Reno, NV 89502
Plant/Project Dixie Valley Unit County Churchill Month of June 1997

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			26.44 Mgal	334 Deg F.
28-33	41243			78.60 Mgal	329 Deg F.
45-33	47142			24.29 Mgal	331 Deg F.
63-7	47214			53.53 Mgal	330 Deg F.
73-7	47274			48.37 Mgal	328 Deg F.
74-7	47265			46.60 Mgal	330 Deg F.
76-7	47278			44.37 Mgal	331 Deg F.
82-7	47288			61.79 Mgal	333 Deg F.
84-7	41929			21.23 Mgal	330 Deg F.
73B-7	428			49.26 Mgal	323 Deg F.
Totals			39552.8 MWH	454.49 Mgal	

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
Print Name William L. Desormier
Telephone (702) 825-4345
Date 7/1/97

STATE OF NEVADA
 DEPARTMENT OF BUSINESS AND INDUSTRY
 DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 687-5050

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG
 TRIPLICATE-Company File

RECEIVED

JUN 10 1997

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Div. of Minerals

Company Oxbow Geothermal Corp. Address 5250 S. Virginia St., Suite 304, Reno, NV 89502

Plant/Project Dixie Valley Unit County Churchill Month of May 1997

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			27.68 Mgal	334 Deg F.
28-33	41243			82.28 Mgal	329 Deg F.
45-33	47142			25.43 Mgal	330 Deg F.
63-7	47214			56.28 Mgal	328 Deg F.
73-7	47274			52.12 Mgal	327 Deg F.
74-7	47265			49.00 Mgal	328 Deg F.
76-7	47278			48.80 Mgal	330 Deg F.
82-7	47288			66.65 Mgal	332 Deg F.
84-7	41929			0.45 Mgal	320 Deg F.
73B-7	428			53.13 Mgal	323 Deg F.
Totals			36877.7 MWH	461.83 Mgal	

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature



Print Name

William L. Desormier

Telephone

(702) 825-4345

Date

6/6/97

STATE OF NEVADA
 DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 687-5050

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG
 TRIPLICATE-Company File

RECEIVED

MAY 07 1997

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Div. of Minerals


Company Oxbow Geothermal Corp. Address 5250 S. Virginia St., Suite 304, Reno, NV 89502
 Plant/Project Dixie Valley Unit County Churchill Month of April 1997

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			26.75 Mgal	335 Deg F.
28-33	41243			79.53 Mgal	329 Deg F.
45-33	47142			24.58 Mgal	331 Deg F.
63-7	47214			55.89 Mgal	329 Deg F.
73-7	47274			50.66 Mgal	328 Deg F.
74-7	47265			48.65 Mgal	330 Deg F.
76-7	47278			48.22 Mgal	332 Deg F.
82-7	47288			64.71 Mgal	333 Deg F.
84-7	41929			0.00 Mgal	0 Deg F.
73B-7	428			51.59 Mgal	323 Deg F.
Totals			39479.6 MWH	450.59 Mgal	

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Print Name William L. Desormier
 Telephone (702) 825-4345
 Date 5/5/97

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPLICATE-Company File

RECEIVED

APR 03 1997

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Div. of Minerals

Company Oxbow Geothermal Corp. Address 5250 S. Virginia St., Suite 304, Reno, NV 89502
Plant/Project Dixie Valley Unit County Churchill Month of March 1997

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			27.62 Mgal	335 Deg F.
28-33	41243			82.13 Mgal	329 Deg F.
45-33	47142			25.38 Mgal	331 Deg F.
63-7	47214			57.64 Mgal	329 Deg F.
73-7	47274			51.75 Mgal	328 Deg F.
74-7	47265			50.17 Mgal	330 Deg F.
76-7	47278			50.51 Mgal	332 Deg F.
82-7	47288			66.11 Mgal	333 Deg F.
84-7	41929			2.81 Mgal	331 Deg F.
73B-7	428			52.70 Mgal	323 Deg F.
Totals			38940.6 MWH	466.82 Mgal	

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature *William L. Desormier*
Print Name William L. Desormier
Telephone (702) 825-4345
Date 4/1/97

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPLICATE-Company File

RECEIVED

MAR 05 1997

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT** Div. of Minerals


Company Oxbow Geothermal Corp. Address 5250 S. Virginia St., Suite 304, Reno, NV 89502
Plant/Project Dixie Valley Unit County Churchill Month of February 1997

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			24.79 Mgal	335 Deg F.
28-33	41243			73.70 Mgal	329 Deg F.
45-33	47142			22.78 Mgal	332 Deg F.
63-7	47214			50.52 Mgal	330 Deg F.
73-7	47274			45.66 Mgal	328 Deg F.
74-7	47265			44.10 Mgal	331 Deg F.
76-7	47278			44.93 Mgal	333 Deg F.
82-7	47288			58.34 Mgal	334 Deg F.
84-7	41929			20.09 Mgal	333 Deg F.
73B-7	428			46.50 Mgal	323 Deg F.
Totals			36266.4 MWH	431.41 Mgal	

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
Print Name William L. Desormier
Telephone (702) 825-4345
Date 3/3/97

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPLICATE-Company File

RECEIVED

FEB 05 1997

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Div. of Minerals

Company Oxbow Geothermal Corp. Address 5250 S. Virginia St., Suite 304, Reno, NV 89502
Plant/Project Dixie Valley Unit County Churchill Month of January 1997

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			27.51 Mgal	336 Deg F.
28-33	41243			81.79 Mgal	329 Deg F.
45-33	47142			25.28 Mgal	333 Deg F.
63-7	47214			56.08 Mgal	330 Deg F.
73-7	47274			50.74 Mgal	328 Deg F.
74-7	47265			48.82 Mgal	332 Deg F.
76-7	47278			50.60 Mgal	333 Deg F.
82-7	47288			64.94 Mgal	335 Deg F.
84-7	41929			22.24 Mgal	333 Deg F.
73B-7	428			51.77 Mgal	324 Deg F.
Totals			41564.5 MWH	479.77 Mgal	

This report to be filed by the end of the month following the month herein reported

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature *William L. Desormier*
Print Name William L. Desormier
Telephone (702) 825-4345
Date 2/3/97