

STATE OF NEVADA  
DEPARTMENT OF BUSINESS AND INDUSTRY  
**DIVISION OF MINERALS**  
400 W. King Street, Suite 106  
Carson City, Nevada 89710  
(702) 687-5050

ORIGINAL-Div. File  
DUPLICATE-Div. NRMG  
TRIPLICATE-Company File

**RECEIVED**

JAN 06 1999

**COMMERCIAL AND INDUSTRIAL CLASS**  
**GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Div. of Minerals

Company Oxbow Geothermal Corp. Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511  
Plant/Project Dixie Valley Unit County Churchill Month of December 1998

**PLANT OUTPUT**

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 Mgal	Not Flowed
28-33	41243			82.98 Mgal	328 Deg F.
37-33	426PA			78.34 Mgal	324 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			44.15 Mgal	328 Deg F.
73-7	47274			44.33 Mgal	325 Deg F.
74-7	47265			54.32 Mgal	330 Deg F.
76-7	47278			53.22 Mgal	328 Deg F.
82-7	47288			58.85 Mgal	333 Deg F.
84-7	41929			0.00 Mgal	Not Flowed
73B-7	428			58.56 Mgal	323 Deg F.
<b>Totals</b>			<b>41188.7 MWH</b>	<b>474.74 Mgal</b>	

This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for use into 65-18 as follows:

Total	Pressure	Temperature
34.20 Mgal	66 psig.	73 Deg F.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature



Print Name

William L. Desormier

Telephone

(702) 851-1199

Date

1/4/99

STATE OF NEVADA  
DEPARTMENT OF BUSINESS AND INDUSTRY  
**DIVISION OF MINERALS**  
400 W. King Street, Suite 106  
Carson City, Nevada 89710  
(702) 687-5050

ORIGINAL-Div. File  
DUPLICATE-Div. NBMG  
TRIPLICATE-Company File

**RECEIVED**

DEC 04 1998

Div. of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS  
GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Oxbow Geothermal Corp. Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511

Plant/Project Dixie Valley Unit County Churchill Month of November 1998

**PLANT OUTPUT**

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 Mgal	Not Flowed
28-33	41243			79.89 Mgal	330 Deg F.
37-33	426PA			75.42 Mgal	324 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			50.97 Mgal	329 Deg F.
73-7	47274			41.12 Mgal	319 Deg F.
74-7	47265			52.69 Mgal	330 Deg F.
76-7	47278			49.88 Mgal	324 Deg F.
82-7	47288			54.89 Mgal	333 Deg F.
84-7	41929			0.00 Mgal	Not Flowed
73B-7	428			54.33 Mgal	323 Deg F.
<b>Totals</b>			<b>40093.0 MWH</b>	<b>459.18 Mgal</b>	

This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for use into 65-18 as follows:

Total	Pressure	Temperature
25.68 Mgal	69 psig.	88 Deg F.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature

*William L. Desormier*

Print Name

William L. Desormier

Telephone

(702) 851-1199

Date

12/1/98

STATE OF NEVADA  
DEPARTMENT OF BUSINESS AND INDUSTRY  
**DIVISION OF MINERALS**  
400 W. King Street, Suite 106  
Carson City, Nevada 89710  
(702) 687-5050

ORIGINAL-Div. File  
DUPLICATE-Div. NBMG  
TRIPPLICATE-Company File

**COMMERCIAL AND INDUSTRIAL CLASS  
GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Oxbow Geothermal Corp. Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511

Plant/Project Dixie Valley Unit County Churchill Month of October 1998

**PLANT OUTPUT**

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			3.76 Mgal	316 Deg F.
28-33	41243			49.62 Mgal	330 Deg F.
37-33	426PA			44.69 Mgal	323 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			29.28 Mgal	329 Deg F.
73-7	47274			24.81 Mgal	327 Deg F.
74-7	47265			29.37 Mgal	330 Deg F.
76-7	47278			29.44 Mgal	325 Deg F.
82-7	47288			35.69 Mgal	333 Deg F.
84-7	41929			0.00 Mgal	Not Flowed
73B-7	428			32.94 Mgal	324 Deg F.
<b>Totals</b>			<b>22553.0 MWH</b>	<b>279.62 Mgal</b>	

This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for use into 65-18 as follows:

Total	Pressure	Temperature
13.63 Mgal	51 psig.	66 Deg F.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature

William L. Desormier

Print Name

William L. Desormier

Telephone

(702) 851-1199

Date

11/3/98

STATE OF NEVADA  
DEPARTMENT OF BUSINESS AND INDUSTRY  
DIVISION OF MINERALS  
400 W. King Street, Suite 106  
Carson City, Nevada 89710  
(702) 687-5050

ORIGINAL-Div. File  
DUPLICATE-Div. NBMG  
TRIPLICATE-Company File

RECEIVED

OCT 05 1998

Div. of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS  
GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Oxbow Geothermal Corp. Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511  
Plant/Project Dixie Valley Unit County Churchill Month of September 1998

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			19.15 Mgal	334 Deg F.
28-33	41243			74.06 Mgal	331 Deg F.
37-33	426PA			70.59 Mgal	325 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			48.71 Mgal	325 Deg F.
73-7	47274			43.40 Mgal	327 Deg F.
74-7	47265			50.35 Mgal	330 Deg F.
76-7	47278			59.53 Mgal	332 Deg F.
82-7	47288			57.93 Mgal	332 Deg F.
84-7	41929			0.00 Mgal	Not Flowed
73B-7	428			57.34 Mgal	320 Deg F.
<b>Totals</b>			<b>39265.9 MWH</b>	<b>481.04 Mgal</b>	


This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for use into 65-18 as follows:

Total	Pressure	Temperature
23.99 Mgal	75 psig.	93 Deg F.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature



Print Name

William L. Desormier

Telephone

(702) 851-1199

Date

10/1/98

STATE OF NEVADA  
DEPARTMENT OF BUSINESS AND INDUSTRY  
DIVISION OF MINERALS  
400 W. King Street, Suite 106  
Carson City, Nevada 89710  
(702) 687-5050

ORIGINAL-Div. File  
DUPLICATE-Div. NBMG  
TRIPLICATE-Company File

**RECEIVED**

SEP 03 1998

Div. of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS  
GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Oxbow Geothermal Corp. Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511  
Plant/Project Dixie Valley Unit County Churchill Month of August 1998

**PLANT OUTPUT**

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			40.27 Mgal	340 Deg F.
28-33	41243			70.32 Mgal	334 Deg F.
37-33	426PA			66.39 Mgal	326 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			49.58 Mgal	330 Deg F.
73-7	47274			45.45 Mgal	327 Deg F.
74-7	47265			51.26 Mgal	330 Deg F.
76-7	47278			64.56 Mgal	325 Deg F.
82-7	47288			60.65 Mgal	332 Deg F.
84-7	41929			0.00 Mgal	Not Flowed
73B-7	428			60.03 Mgal	323 Deg F.
<b>Totals</b>			<b>41662.1 MWH</b>	<b>508.52 Mgal</b>	

This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for use into 65-18 as follows:

Total	Pressure	Temperature
25.49 Mgal	79 psig.	94 Deg F.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature

William L. Desormier

Print Name

William L. Desormier

Telephone

(702) 851-1199

Date

9/1/98

STATE OF NEVADA  
DEPARTMENT OF BUSINESS AND INDUSTRY  
**DIVISION OF MINERALS**  
400 W. King Street, Suite 106  
Carson City, Nevada 89710  
(702) 687-5050

ORIGINAL-Div. File  
DUPLICATE-Div. NBMG  
TRIPLICATE-Company File

**RECEIVED**

AUG 04 1998

**COMMERCIAL AND INDUSTRIAL CLASS  
GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

**Div. of Minerals**

Company Oxbow Geothermal Corp. Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511

Plant/Project Dixie Valley Unit County Churchill Month of July 1998

**PLANT OUTPUT**

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			39.77 Mgal	337 Deg F.
28-33	41243			58.90 Mgal	300 Deg F.
37-33	426PA			65.57 Mgal	325 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			50.25 Mgal	331 Deg F.
73-7	47274			44.72 Mgal	327 Deg F.
74-7	47265			47.12 Mgal	330 Deg F.
76-7	47278			61.13 Mgal	332 Deg F.
82-7	47288			59.69 Mgal	332 Deg F.
84-7	41929			0.00 Mgal	Not Flowed
73B-7	428			59.09 Mgal	323 Deg F.
<b>Totals</b>			40134.5 MWH	486.24 Mgal	

This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for use into 65-18 as follows:

Total	Pressure	Temperature
22.76 Mgal	81 psig.	99 Deg F.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature

*William L. Desormier*

Print Name

William L. Desormier

Telephone

(702) 851-1199

Date

8/3/98

STATE OF NEVADA  
 DEPARTMENT OF BUSINESS AND INDUSTRY  
 DIVISION OF MINERALS  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89710  
 (702) 687-5050

ORIGINAL-Div. File  
 DUPLICATE-Div. NBMG  
 TRIPLICATE-Company File

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Oxbow Geothermal Corp. Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511  
 Plant/Project Dixie Valley Unit County Churchill Month of June 1998

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			37.07 Mgal	337 Deg F.
28-33	41243			64.74 Mgal	333 Deg F.
37-33	426PA			61.12 Mgal	326 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			50.18 Mgal	333 Deg F.
73-7	47274			42.86 Mgal	329 Deg F.
74-7	47265			51.88 Mgal	331 Deg F.
76-7	47278			58.20 Mgal	334 Deg F.
82-7	47288			57.21 Mgal	334 Deg F.
84-7	41929			0.00 Mgal	Not Flowed
73B-7	428			56.63 Mgal	325 Deg F.
<b>Totals</b>			41221.8 MWH	479.87 Mgal	

This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for use into 65-18 as follows:

Total	Pressure	Temperature
35.20 Mgal	77 psig.	77 Deg F.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature

William L. Desormier

Print Name

William L. Desormier

Telephone

(702) 851-1199

Date

7/1/98

STATE OF NEVADA  
 DEPARTMENT OF BUSINESS AND INDUSTRY  
 DIVISION OF MINERALS  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89710  
 (702) 687-5050

ORIGINAL-Div. File  
 DUPLICATE-Div. NBMG  
 TRIPLICATE-Company File

**RECEIVED**

JUN 05 1998

Div. of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Oxbow Geothermal Corp. Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511  
 Plant/Project Dixie Valley Unit County Churchill Month of May 1998

**PLANT OUTPUT**

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			37.58 Mgal	340 Deg F.
28-33	41243			65.64 Mgal	333 Deg F.
37-33	426PA			61.98 Mgal	325 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			52.28 Mgal	331 Deg F.
73-7	47274			42.89 Mgal	329 Deg F.
74-7	47265			54.04 Mgal	331 Deg F.
76-7	47278			60.52 Mgal	334 Deg F.
82-7	47288			58.90 Mgal	333 Deg F.
84-7	41929			0.00 Mgal	Not Flowed
73B-7	428			58.31 Mgal	326 Deg F.
<b>Totals</b>			<b>42778.6 MWH</b>	<b>492.13 Mgal</b>	

This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for use into 65-18 as follows:

Total	Pressure	Temperature
35.67 Mgal	0 psig.	0 Deg F.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature

William L. Desormier

Print Name

William L. Desormier

Telephone

(702) 851-1199

Date

6/1/98



STATE OF NEVADA  
DEPARTMENT OF BUSINESS AND INDUSTRY  
DIVISION OF MINERALS  
400 W. King Street, Suite 106  
Carson City, Nevada 89710  
(702) 687-5050

ORIGINAL-Div. File  
DUPLICATE-Div. NBMG  
TRIPLICATE-Company File

RECEIVED

MAY 04 1998

**COMMERCIAL AND INDUSTRIAL CLASS  
GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Div. of Minerals

Company Oxbow Geothermal Corp. Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511

Plant/Project Dixie Valley Unit County Churchill Month of April 1998

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			36.99 Mgal	340 Deg F.
28-33	41243			64.61 Mgal	332 Deg F.
37-33	426PA			61.00 Mgal	325 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			49.40 Mgal	331 Deg F.
73-7	47274			30.05 Mgal	328 Deg F.
74-7	47265			51.06 Mgal	332 Deg F.
76-7	47278			56.97 Mgal	334 Deg F.
82-7	47288			54.85 Mgal	335 Deg F.
84-7	41929			8.09 Mgal	332 Deg F.
73B-7	428			54.30 Mgal	324 Deg F.
<b>Totals</b>			41146.8 MWH	467.30 Mgal	

This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for use into 65-18 as follows:

Total	Pressure	Temperature
28.89 Mgal	0 psig.	0 Deg F.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature

William L. Desormier

Print Name

William L. Desormier

Telephone

(702) 851-1199

Date

5/1/98

STATE OF NEVADA  
DEPARTMENT OF BUSINESS AND INDUSTRY  
DIVISION OF MINERALS

400 W. King Street, Suite 106  
Carson City, Nevada 89710  
(702) 687-5050

ORIGINAL-Div. File  
DUPLICATE-Div. NBMG  
TRIPLICATE-Company File

RECEIVED

APR 06 1998

COMMERCIAL AND INDUSTRIAL CLASS  
GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT

Div. of Minerals

Company Oxbow Geothermal Corp. Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511  
Plant/Project Dixie Valley Unit County Churchill Month of March 1998

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			37.88 Mgal	340 Deg F.
28-33	41243			66.16 Mgal	333 Deg F.
37-33	426PA			62.46 Mgal	325 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214 (214)			49.11 Mgal	331 Deg F.
73-7	47274 (77)			34.75 Mgal	328 Deg F.
74-7	47265 (65)			50.76 Mgal	333 Deg F.
76-7	47278 (78/348)			57.59 Mgal	334 Deg F.
82-7	47288 (88)			52.80 Mgal	335 Deg F.
84-7	41929			27.19 Mgal	334 Deg F.
73B-7	428			52.27 Mgal	324 Deg F.
Totals			42733.1 MWH	490.97 Mgal	

This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for use into 65-18 as follows:

Total	Pressure	Temperature
6.29 Mgal	75 psig.	78 Deg F.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature

William L. Desormier

Print Name

William L. Desormier

Telephone

(702) 851-1199

Date

4/1/98

STATE OF NEVADA  
 DEPARTMENT OF BUSINESS AND INDUSTRY  
 DIVISION OF MINERALS  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89710  
 (702) 687-5050

ORIGINAL-Div. File  
 DUPLICATE-Div. NBMG  
 TRIPLICATE-Company File

RECEIVED

MAR 04 1998

Div. of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Oxbow Geothermal Corp. Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511  
 Plant/Project Dixie Valley Unit County Churchill Month of February 1998

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			34.76 Mgal	341 Deg F.
28-33	41243			60.64 Mgal	331 Deg F.
37-33	426PA			57.25 Mgal	325 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			32.72 Mgal	331 Deg F.
73-7	47274			33.85 Mgal	327 Deg F.
74-7	47265			44.69 Mgal	332 Deg F.
76-7	47278			52.48 Mgal	334 Deg F.
82-7	47288			54.89 Mgal	334 Deg F.
84-7	41929			24.09 Mgal	333 Deg F.
73B-7	428			51.32 Mgal	324 Deg F.
<b>Totals</b>			<b>36258.3 MWH</b>	<b>446.69 Mgal</b>	

This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for use into SWL-1 as follows:

Total	Pressure	Temperature
0.00 Mgal	0 psig.	0 Deg F.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature William L. Desormier  
 Print Name William L. Desormier  
 Telephone (702) 851-1199  
 Date 3/2/98

STATE OF NEVADA  
 DEPARTMENT OF BUSINESS AND INDUSTRY  
 DIVISION OF MINERALS  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89710  
 (702) 687-5050

ORIGINAL-Div. File  
 DUPLICATE-Div. NBMG  
 TRIPLICATE-Company File

RECEIVED

FEB 05 1998

Div. of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Oxbow Geothermal Corp. Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511  
 Plant/Project Dixie Valley Unit County Churchill Month of January 1998

**PLANT OUTPUT**

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			39.09 Mgal	341 Deg F.
28-33	41243			68.26 Mgal	331 Deg F.
37-33	426PA			64.44 Mgal	325 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			0.00 Mgal	Not Flowed
73-7	47274			41.06 Mgal	325 Deg F.
74-7	47265			51.45 Mgal	332 Deg F.
76-7	47278			58.56 Mgal	333 Deg F.
82-7	47288			66.56 Mgal	333 Deg F.
84-7	41929			27.55 Mgal	333 Deg F.
73B-7	428			65.87 Mgal	323 Deg F.
<b>Totals</b>			<b>42116.0 MWH</b>	<b>482.85 Mgal</b>	

This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for use into SWL-1 as follows:

Total	Pressure	Temperature
0.00 Mgal	0 psig.	0 Deg F.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature William L. Desormier  
 Print Name William L. Desormier  
 Telephone (702) 851-1199  
 Date 2/3/98