

STATE OF NEVADA
 DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 687-5050

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG
 TRIPLICATE-Company File

RECEIVED

FEB 02 2000

Div. of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Oxbow Geothermal Corp. Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511

Plant/Project Dixie Valley Unit County Churchill Month of December 1999

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			1.15 Mgal	309 Deg F.
28-33	41243			86.49 Mgal	341 Deg F.
37-33	426PA			81.65 Mgal	306 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			53.53 Mgal	330 Deg F.
73-7	47274			42.78 Mgal	335 Deg F.
74-7	47265			55.28 Mgal	331 Deg F.
76-7	47278			62.33 Mgal	331 Deg F.
82-7	47288			57.09 Mgal	331 Deg F.
84-7	41929			0.00 Mgal	Not Flowed
73B-7	428			56.50 Mgal	336 Deg F.
Totals			40085.0 MWH	496.80 Mgal	


This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for 45-5 & 27-32 as follows:

Total	Temperature	Pressure
59.22 Mgal	87 Deg F.	91 psig.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature



Title

Project Operations Manager

Telephone

(775) 423-6535

Date

01/21/2000

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPLICATE-Company File

RECEIVED

JAN 11 2000

Div. of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Oxbow Geothermal Corp. Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511
Plant/Project Dixie Valley Unit County Churchill Month of November 1999

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 Mgal	Not Flowed
28-33	41243			81.66 Mgal	341 Deg F.
37-33	426PA			77.10 Mgal	306 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			52.82 Mgal	331 Deg F.
73-7	47274			41.86 Mgal	337 Deg F.
74-7	47265			54.60 Mgal	332 Deg F.
76-7	47278			58.93 Mgal	330 Deg F.
82-7	47288			55.87 Mgal	332 Deg F.
84-7	41929			0.00 Mgal	Not Flowed
73B-7	428			55.30 Mgal	337 Deg F.
Totals			39544.8 MWH	478.14 Mgal	


This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for 45-5 & 27-32 as follows:

Total	Temperature	Pressure
78.23 Mgal	78 Deg F.	68 psig.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature


Project Operations Manager

Title

Telephone

(775) 423-6535

Date

12/06/1999

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPLICATE-Company File

RECEIVED

NOV 19 1999

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Div. of Minerals

Company Oxbow Geothermal Corp. Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511

Plant/Project Dixie Valley Unit County Churchill Month of October 1999

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 Mgal	Not Flowed
28-33	41243			80.53 Mgal	341 Deg F.
37-33	426PA			76.09 Mgal	305 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			53.07 Mgal	326 Deg F.
73-7	47274			44.61 Mgal	336 Deg F.
74-7	47265			54.74 Mgal	331 Deg F.
76-7	47278			60.43 Mgal	329 Deg F.
82-7	47288			59.06 Mgal	332 Deg F.
84-7	41929			0.00 Mgal	Not Flowed
73B-7	428			58.37 Mgal	335 Deg F.
Totals			40644.4 MWH	486.91 Mgal	


This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for 45-5 & 27-32 as follows:

Total	Temperature	Pressure
81.76 Mgal	82 Deg F.	46 psig.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature



Title

Project Operations Manager

Telephone

(775) 423-6535

Date

11/11/1999

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPLICATE-Company File

RECEIVED

OCT 18 1999

Div. of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Oxbow Geothermal Corp. Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511

Plant/Project Dixie Valley Unit County Churchill Month of September 1999

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 Mgal	Not Flowed
28-33	41243			78.95 Mgal	340 Deg F.
37-33	426PA			74.54 Mgal	308 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			52.98 Mgal	329 Deg F.
73-7	47274			41.41 Mgal	334 Deg F.
74-7	47265			54.76 Mgal	328 Deg F.
76-7	47278			59.68 Mgal	328 Deg F.
82-7	47288			55.27 Mgal	329 Deg F.
84-7	41929			0.00 Mgal	Not Flowed
73B-7	428			54.70 Mgal	321 Deg F.
Totals			38351.1 MWH	472.28 Mgal	


This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for 45-5 & 65-18 as follows:

Total	Temperature	Pressure
81.91 Mgal	78 Deg F.	66 psig.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature



Title

Project Operations Manager

Telephone

(775) 423-6535

Date

10/12/1999

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPLICATE-Company File

RECEIVED

OCT 21 1999

Div. of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Oxbow Geothermal Corp. Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511

Plant/Project Dixie Valley Unit County Churchill Month of August 1999

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 Mgal	Not Flowed
28-33	41243			77.63 Mgal	340 Deg F.
37-33	426PA			73.29 Mgal	308 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			49.39 Mgal	326 Deg F.
73-7	47274			42.04 Mgal	333 Deg F.
74-7	47265			51.05 Mgal	328 Deg F.
76-7	47278			60.03 Mgal	328 Deg F.
82-7	47288			56.11 Mgal	326 Deg F.
84-7	41929			0.00 Mgal	Not Flowed
73B-7	428			55.54 Mgal	334 Deg F.
Totals			36608.9 MWH	465.08 Mgal	


This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for 27-32 & 45-5 as follows:

Total	Temperature	Pressure
31.29 Mgal	81 Deg F.	100 psig.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature



Title

Plant Manager

Telephone

(775) 423-6535

Date

09/20/1999

STATE OF NEVADA
 DEPARTMENT OF BUSINESS AND INDUSTRY
 DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 687-5050

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG
 TRIPLICATE-Company File

RECEIVED

OCT 21 1999

Div. of Minerals

COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT

Company Oxbow Geothermal Corp. Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511
 Plant/Project Dixie Valley Unit County Churchill Month of July 1999

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 Mgal	Not Flowed
28-33	41243			81.06 Mgal	342 Deg F.
37-33	426PA			76.50 Mgal	308 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			55.20 Mgal	330 Deg F.
73-7	47274			42.33 Mgal	335 Deg F.
74-7	47265			57.04 Mgal	329 Deg F.
76-7	47278			62.69 Mgal	328 Deg F.
82-7	47288			56.50 Mgal	326 Deg F.
84-7	41929			0.00 Mgal	Not Flowed
73B-7	428			55.93 Mgal	347 Deg F.
Totals			39769.4 MWH	487.25 Mgal	

This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for use into 45-5 & 27-32 as follows:

Total	Temperature	Pressure
66.37 Mgal	83 Deg F.	87 psig.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature Bill Road
 Title Assistant Plant Manager
 Telephone (775) 423-6535
 Date 8/3/99

STATE OF NEVADA
 DEPARTMENT OF BUSINESS AND INDUSTRY
 DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 687-5050

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG
 TRIPLICATE-Company File

RECEIVED

OCT 21 1999

Div. of Minerals

COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT

Company Oxbow Geothermal Corp. Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511

Plant/Project Dixie Valley Unit County Churchill Month of June 1999

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 Mgal	Not Flowed
28-33	41243			78.19 Mgal	341 Deg F.
37-33	426PA			73.82 Mgal	308 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			54.30 Mgal	329 Deg F.
73-7	47274			41.53 Mgal	330 Deg F.
74-7	47265			56.13 Mgal	328 Deg F.
76-7	47278			61.45 Mgal	329 Deg F.
82-7	47288			55.42 Mgal	326 Deg F.
84-7	41929			0.00 Mgal	Not Flowed
73B-7	428			54.86 Mgal	335 Deg F.
Totals			37920.8 MWH	475.72 Mgal	

This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for use into 65-18 as follows:

Total	Temperature	Pressure
31.12 Mgal	77 Deg F.	44 psig.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature Bill Boad
 Title Assistant Plant Manager
 Telephone (775) 423-6535
 Date 7/13/99

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPLICATE-Company File

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Oxbow Geothermal Corp. Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511

Plant/Project Dixie Valley Unit County Churchill Month of May 1999

PLANT OUTPUT


Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 Mgal	Not Flowed
28-33	41243			78.36 Mgal	342 Deg F.
37-33	426PA			73.98 Mgal	307 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			52.28 Mgal	329 Deg F.
73-7	47274			41.37 Mgal	327 Deg F.
74-7	47265			53.99 Mgal	329 Deg F.
76-7	47278			60.15 Mgal	332 Deg F.
82-7	47288			55.21 Mgal	329 Deg F.
84-7	41929			0.00 Mgal	Not Flowed
73B-7	428			54.65 Mgal	336 Deg F.
Totals			38960.8 MWH	469.97 Mgal	

This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for use into 65-18 as follows:

Total	Temperature	Pressure
33.48 Mgal	73 Deg F.	57 psig.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Title Assistant Plant Manager
 Telephone (775) 423-6535
 Date 6/3/99

c:\my documents\billd\mdom2

RECEIVED
JUN 10 1999
Div. of Minerals

June 1, 1999


Ms Linda Wells
Nevada Department of Minerals
400 West King Street, Suite 106
Carson City, Nevada 89710

Subject: 1999 Dixie Valley Monthly Producers and Injection Report for the previous month.

Dear Ms Wells:

Enclosed are the Monthly Report of Subsurface Injections and the Monthly Producer's Report for the Dixie Valley Geothermal Power Plant for the above captioned month. If you have any questions please call me or Mark McDaniels. Thank you.

Sincerely,



William Rody
Assistant Plant Manager

Distribution: Mark McDaniels, Greg Hughes, Sherry McDonald, file (top drawer-DOM),
Michelle

STATE OF NEVADA
 DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 687-5050

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG
 TRIPLICATE-Company File

RECEIVED

MAY 10 1999

Div. of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Oxbow Geothermal Corp. Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511

Plant/Project Dixie Valley Unit County Churchill Month of April 1999

PLANT OUTPUT


Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 Mgal	Not Flowed
28-33	41243			78.53 Mgal	337 Deg F.
37-33	426PA			74.14 Mgal	309 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			51.88 Mgal	329 Deg F.
73-7	47274			42.79 Mgal	327 Deg F.
74-7	47265			53.63 Mgal	330 Deg F.
76-7	47278			60.03 Mgal	332 Deg F.
82-7	47288			57.11 Mgal	331 Deg F.
84-7	41929			0.00 Mgal	Not Flowed
73B-7	428			56.53 Mgal	334 Deg F.
Totals			39324.1 MWH	474.64 Mgal	

This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for use into 65-18 as follows:

Total	Temperature	Pressure
32.15 Mgal	72 Deg F.	64 psig.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Title Assistant Plant Manager
 Telephone (775) 423-6535
 Date 5/5/99

c:\my documents\billd\mdom2

RECEIVED

MAY 10 1999

Div. of Minerals

May 1, 1999

Ms Linda Wells
Nevada Department of Minerals
400 West King Street, Suite 106
Carson City, Nevada 89710

Subject: 1999 Dixie Valley Monthly Producers and Injection Report for the previous month.

Dear Ms Wells:

Enclosed are the Monthly Report of Subsurface Injections and the Monthly Producer's Report for the Dixie Valley Geothermal Power Plant for the above captioned month. If you have any questions please call me or Mark McDaniels. Thank you.

Sincerely,



William Rody
Assistant Plant Manager

Distribution: Mark McDaniels, Greg Hughes, Sherry McDonald, file (top drawer-DOM)
cc: Michelle, W. Desormier

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPPLICATE-Company File

RECEIVED

APR 07 1999

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Div. of Minerals

Company Oxbow Geothermal Corp. Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511
Plant/Project Dixie Valley Unit County Churchill Month of March 1999

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 Mgal	Not Flowed
28-33	41243			81.12 Mgal	330 Deg F.
37-33	426PA			76.59 Mgal	324 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			53.28 Mgal	329 Deg F.
73-7	47274			44.69 Mgal	328 Deg F.
74-7	47265			55.07 Mgal	330 Deg F.
76-7	47278			62.34 Mgal	324 Deg F.
82-7	47288			59.64 Mgal	334 Deg F.
84-7	41929			0.00 Mgal	Not Flowed
73B-7	428			59.04 Mgal	324 Deg F.
Totals			41175.2 MWH	491.77 Mgal	

This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for use into 65-18 as follows:

Total	Pressure	Temperature
33.68 Mgal	69 psig.	66 Deg F.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature

Bill Roady

Print Name

Bill Roady

Telephone

(775) 423-6535

Date

4/1/99

c:\win\wrkwp\let\mdom3

RECEIVED

APR 07 1999

Div. of Minerals

April 1, 1999

Ms Linda Wells
Nevada Department of Minerals
400 West King Street, Suite 106
Carson City, Nevada 89710

Subject: 1999 Dixie Valley Monthly Producers and Injection Report for the previous month.

Dear Ms Wells:

Enclosed are the Monthly Report of Subsurface Injections and the Monthly Producer's Report for the Dixie Valley Geothermal Power Plant for the above captioned month. If you have any questions please call me or Mark McDaniels. Thank you.

Sincerely



William Roady
Assistant Plant Manager

Distribution: Mark McDaniels, Greg Hughes, Sherry McDonald, file (top drawer-DOM)
cc: Michelle, Bill D.

STATE OF NEVADA
 DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89710
 (702) 687-5050

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG
 TRIPLICATE-Company File

RECEIVED

MAR 29 1999

Div. of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Oxbow Geothermal Corp. Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511

Plant/Project Dixie Valley Unit County Churchill Month of February 1999

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 Mgal	Not Flowed
28-33	41243			73.56 Mgal	330 Deg F.
37-33	426PA			69.45 Mgal	324 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			47.70 Mgal	329 Deg F.
73-7	47274			40.47 Mgal	327 Deg F.
74-7	47265			49.31 Mgal	330 Deg F.
76-7	47278			57.97 Mgal	333 Deg F.
82-7	47288			54.01 Mgal	334 Deg F.
84-7	41929			0.00 Mgal	Not Flowed
73B-7	428			53.46 Mgal	323 Deg F.
Totals			37300.9 MWH	445.93 Mgal	

This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for use into 65-18 as follows:

Total	Temperature	Pressure
28.83 Mgal	70 Deg F.	70 psig.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature



Title

Shift Supervisor

Telephone

(775) 423-6535

Date

3/23/99

c:\my documents\billd\mdom2

RECEIVED

MAR 29 1999

Div. of Minerals

March 23, 1999

Ms Linda Wells
Nevada Department of Minerals
400 West King Street, Suite 106
Carson City, Nevada 89710

Subject: 1999 Dixie Valley Monthly Producers and Injection Report for the previous month.

Dear Ms Wells:

Enclosed are the Monthly Report of Subsurface Injections and the Monthly Producer's Report for the Dixie Valley Geothermal Power Plant for the above captioned month. If you have any questions please call me or Mark McDaniels. Thank you.

Sincerely,



Shift Supervisor

Distribution: Mark McDaniels, Greg Hughes, Sherry McDonald, file (top drawer-DOM)
cc: Michelle, W. Desormier

STATE OF NEVADA
DEPARTMENT OF BUSINESS AND INDUSTRY
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89710
(702) 687-5050

ORIGINAL-Div. File
DUPLICATE-Div. NBMG
TRIPPLICATE-Company File

RECEIVED

APR 07 1999

COMMERCIAL AND INDUSTRIAL CLASS **Div. of Minerals**
GEOHERMAL ELECTRIC PRODUCERS MONTHLY REPORT

Company Oxbow Geothermal Corp. Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511
Plant/Project Dixie Valley Unit County Churchill Month of January 1999

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 Mgal	Not Flowed
28-33	41243			81.67 Mgal	329 Deg F.
37-33	426PA			77.11 Mgal	324 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			47.93 Mgal	329 Deg F.
73-7	47274			45.33 Mgal	327 Deg F.
74-7	47265			54.54 Mgal	330 Deg F.
76-7	47278			53.45 Mgal	332 Deg F.
82-7	47288			60.43 Mgal	334 Deg F.
84-7	41929			0.00 Mgal	Not Flowed
73B-7	428			60.39 Mgal	323 Deg F.
Totals			39988.4 MWH	480.85 Mgal	

This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for use into 65-18 as follows:

Total	Pressure	Temperature
26.44 Mgal	66 psig.	78 Deg F.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature William L. Desormier
Print Name William L. Desormier
Telephone (702) 851-1199
Date 2/1/99



OXBOW GEOTHERMAL CORPORATION

RECEIVED

APR 07 1999

Div. of Minerals

April 5, 1999

Ms Linda Wells
Nevada Department of Minerals
400 West King Street, Suite 106
Carson City, Nevada 89710

Subject: 1999 Dixie Valley Monthly Producers and Injection Report for January.

Dear Ms Wells:

Enclosed are the Monthly Report of Subsurface Injections and the Monthly Producer's Report for the Dixie Valley Geothermal Power Plant for the above captioned month. I sent the report out on February 1st (see attached copy). The February and later reports will be sent from the power plant. If you have any further discrepancies, please contact Bill Roady or Mark McDaniels at (775) 423-6535. Thank you.

Sincerely,

William L. Desormier
Geologist

Distribution: Mark McDaniels, Greg Hughes, Sherry McDonald, file (top drawer-DOM)
cc: Michelle



OXBOW GEOTHERMAL CORPORATION

RECEIVED

APR 07 1999

Div. of Minerals

February 1, 1999


Ms Linda Wells
Nevada Department of Minerals
400 West King Street, Suite 106
Carson City, Nevada 89710

Subject: 1999 Dixie Valley Monthly Producers and Injection Report for the previous month.

Dear Ms Wells:

Enclosed are the Monthly Report of Subsurface Injections and the Monthly Producer's Report for the Dixie Valley Geothermal Power Plant for the above captioned month. If you have any questions please call me or Mark McDaniels. Thank you.

Sincerely,


William L. Desormier
Geologist

Distribution: Mark McDaniels, Greg Hughes, Sherry McDonald, file (top drawer-DOM)
cc: Michelle