

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040

ORIGINAL-Div. File  
 DUPLICATE-Div. NBMG

**RECEIVED**

JAN 29 2002

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Division of Minerals

Company Caithness Dixie Valley, LLC Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511  
 Project Dixie Valley Unit County Churchill Month of December 2001

**PLANT OUTPUT**

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 MMgal	Not Flowed
28-33	41243			95.57 MMgal	342 Deg F.
37-33	426PA			90.23 MMgal	341 Deg F.
45-33	47142			0.00 MMgal	Not Flowed
63-7	47214			63.41 MMgal	329 Deg F.
73-7	47274			39.03 MMgal	278 Deg F.
74-7	47265			65.55 MMgal	332 Deg F.
76-7	47278			70.84 MMgal	330 Deg F.
82-7	47288			0.00 MMgal	Not Flowed
84-7	41929			0.00 MMgal	Not Flowed
73B-7	428			61.23 MMgal	334 Deg F.
<b>Totals</b>			39709.6 MWH	485.86 MMgal	

This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for use into 38-32 as follows:

Total	Temperature	Pressure
46.37 MMgal	64 Deg F.	104 psig.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature *Missy Payne*  
 Missy Payne  
 Position Sr. Compliance Coordinator  
 Telephone (775) 851-1125  
 Date January 17, 2002

STATE OF NEVADA  
 COMMISSION ON MINERAL RESOURCES  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 684-7040

ORIGINAL-Div. File  
 DUPLICATE-Div. NBMG

**RECEIVED**

DEC 24 2001

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Division of Minerals

Company Caithness Dixie Valley, LLC Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511  
 Project Dixie Valley Unit County Churchill Month of November 2001

**PLANT OUTPUT**

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 MMgal	Not Flowed
28-33	41243			77.86 MMgal	343 Deg F.
37-33	426PA			86.26 MMgal	339 Deg F.
45-33	47142			0.00 MMgal	Not Flowed
63-7	47214			64.10 MMgal	329 Deg F.
73-7	47274			45.51 MMgal	322 Deg F.
74-7	47265			66.26 MMgal	332 Deg F.
76-7	47278			67.27 MMgal	330 Deg F.
82-7	47288			0.00 MMgal	Not Flowed
84-7	41929			0.00 MMgal	Not Flowed
73B-7	428			60.36 MMgal	327 Deg F.
<b>Totals</b>			37,472.7 MWH	467.63 MMgal	

This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for use into 38-32 as follows:

Total	Temperature	Pressure
40.81 MMgal	70 Deg F.	75 psig.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature Missy Payne  
 Missy Payne  
 Position Sr. Compliance Coordinator  
 Telephone (775) 851-1125  
 Date December 20, 2001

STATE OF NEVADA  
DEPARTMENT OF BUSINESS AND INDUSTRY  
**DIVISION OF MINERALS**  
400 W. King Street, Suite 106  
Carson City, Nevada 89703  
(775) 687-5050

ORIGINAL-Div. File  
DUPLICATE-Div. NBMG

**RECEIVED**

DEC 04 2001

**COMMERCIAL AND INDUSTRIAL CLASS  
GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Division of Minerals

Company Caithness Dixie Valley, LLC Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511  
Plant/Project Dixie Valley Unit County Churchill Month of October 2001

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 Mgal	Not Flowed
28-33	41243			93.15 Mgal	343 Deg F.
37-33	426PA			87.94 Mgal	341 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			64.84 Mgal	330 Deg F.
73-7	47274			51.57 Mgal	336 Deg F.
74-7	47265			67.03 Mgal	332 Deg F.
76-7	47278			68.18 Mgal	330 Deg F.
82-7	47288			0.00 Mgal	Not Flowed
84-7	41929			0.00 Mgal	Not Flowed
73B-7	428			68.12 Mgal	335 Deg F.
<b>Totals</b>			<b>40522.9 MWH</b>	<b>500.84 Mgal</b>	


This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for use into 27-32 as follows:

Total	Temperature	Pressure
57.50 Mgal	74 Deg F.	81 psig.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature

  
Missy Payne

Title

Sr. Compliance Coordinator

Telephone

(775) 851-1125

Date

December 3, 2001

STATE OF NEVADA  
DEPARTMENT OF BUSINESS AND INDUSTRY  
**DIVISION OF MINERALS**  
400 W. King Street, Suite 106  
Carson City, Nevada 89703  
(775) 687-5050

ORIGINAL-Div. File  
DUPLICATE-Div. NBMG

**RECEIVED**

OCT 22 2001

**Div. of Minerals**

**COMMERCIAL AND INDUSTRIAL CLASS  
GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511  
Plant/Project Dixie Valley Unit County Churchill Month of September 2001

**PLANT OUTPUT**

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 Mgal	Not Flowed
28-33	41243			86.51 Mgal	343 Deg F.
37-33	426PA			81.68 Mgal	340 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			62.20 Mgal	331 Deg F.
73-7	47274			47.37 Mgal	336 Deg F.
74-7	47265			64.30 Mgal	332 Deg F.
76-7	47278			63.22 Mgal	330 Deg F.
82-7	47288			0.00 Mgal	Not Flowed
84-7	41929			0.00 Mgal	Not Flowed
73B-7	428			62.58 Mgal	336 Deg F.
<b>Totals</b>			<b>38569.0 MWH</b>	<b>467.86 Mgal</b>	


**This report to be filed by the end of the month following the month herein reported**

During the month the Goerenger water well produced injection augmentation fluid for use into 27-32 as follows:

Total	Temperature	Pressure
68.44 Mgal	71 Deg F.	56 psig.

*I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.*

Signature

  
Don Wells

Title

Plant General Manager

Telephone

(775) 851-1125

Date

October 18, 2001

STATE OF NEVADA  
 DEPARTMENT OF BUSINESS AND INDUSTRY  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 687-5050

ORIGINAL-Div. File  
 DUPLICATE-Div. NBMG

**RECEIVED**  
 OCT 18 2001  
 Div. of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511  
 Plant/Project Dixie Valley Unit County Churchill Month of August 2001

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 Mgal	Not Flowed
28-33	41243			92.40 Mgal	343 Deg F.
37-33	426PA			87.24 Mgal	338 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			67.18 Mgal	331 Deg F.
73-7	47274			51.26 Mgal	336 Deg F.
74-7	47265			69.44 Mgal	332 Deg F.
76-7	47278			67.39 Mgal	330 Deg F.
82-7	47288			0.00 Mgal	Not Flowed
84-7	41929			0.00 Mgal	Not Flowed
73B-7	428			67.71 Mgal	335 Deg F.
<b>Totals</b>			<b>39974.0 MWH</b>	<b>502.62 Mgal</b>	


This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for use into 27-32 as follows:

Total	Temperature	Pressure
55.55 Mgal	82 Deg F.	44 psig.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature

  
 \_\_\_\_\_  
 Don Wells

Title

Plant General Manager  
 \_\_\_\_\_

Telephone

(775) 851-1125  
 \_\_\_\_\_

Date

October 16, 2001  
 \_\_\_\_\_

STATE OF NEVADA  
 DEPARTMENT OF BUSINESS AND INDUSTRY  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 687-5050

ORIGINAL-Div. File  
 DUPLICATE-Div. NEMG

**RECEIVED**

**AUG 30 2001**

**Div. of Minerals**

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511  
 Plant/Project Dixie Valley Unit County Churchill Month of July 2001

**PLANT OUTPUT**


Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 Mgal	Not Flowed
28-33	41243			92.74 Mgal	343 Deg F.
37-33	426PA			87.55 Mgal	338 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			69.11 Mgal	311 Deg F.
73-7	47274			52.66 Mgal	336 Deg F.
74-7	47265			71.44 Mgal	332 Deg F.
76-7	47278			67.71 Mgal	330 Deg F.
82-7	47288			0.00 Mgal	Not Flowed
84-7	41929			0.00 Mgal	Not Flowed
73B-7	428			69.56 Mgal	336 Deg F.
<b>Totals</b>			<b>39869.6 MWH</b>	<b>510.78 Mgal</b>	

**This report to be filed by the end of the month following the month herein reported**

During the month the Goerenger water well produced injection augmentation fluid for use into 27-32 as follows:

Total	Temperature	Pressure
50.80 Mgal	83 Deg F.	73 psig.

*I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.*

Signature   
 Don Wells  
 Title Plant General Manager  
 Telephone (775) 851-1125  
 Date August 14, 2001

STATE OF NEVADA  
 DEPARTMENT OF BUSINESS AND INDUSTRY  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 687-5050

ORIGINAL-Div. File  
 DUPLICATE-Div. NBMG

**RECEIVED**

JUL 26 2001

Div. of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511

Plant/Project Dixie Valley Unit County Churchill Month of June 2001

**PLANT OUTPUT**


Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 Mgal	Not Flowed
28-33	41243			90.60 Mgal	343 Deg F.
37-33	426PA			85.16 Mgal	338 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			57.69 Mgal	305 Deg F.
73-7	47274			50.32 Mgal	336 Deg F.
74-7	47265			64.14 Mgal	332 Deg F.
76-7	47278			64.93 Mgal	330 Deg F.
82-7	47288			0.00 Mgal	Not Flowed
84-7	41929			0.00 Mgal	Not Flowed
73B-7	428			66.47 Mgal	335 Deg F.
<b>Totals</b>			<b>38469.9 MWH</b>	<b>479.30 Mgal</b>	

This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for use into 27-32 as follows:

Total	Temperature	Pressure
54.90 Mgal	28 Deg F.	79 psig.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature   
 Don Wells

Title Plant General Manager

Telephone (775) 851-1125

Date July 24, 2001

STATE OF NEVADA  
 DEPARTMENT OF BUSINESS AND INDUSTRY  
 DIVISION OF MINERALS  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 687-5050

ORIGINAL-Div. File  
 DUPLICATE-Div. NBMG  
**RECEIVED**

JUN 22 2001

Div. of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511

Plant/Project Dixie Valley Unit County Churchill Month of May 2001

**PLANT OUTPUT**


Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 Mgal	Not Flowed
28-33	41243			89.54 Mgal	344 Deg F.
37-33	426PA			74.69 Mgal	335 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			58.94 Mgal	322 Deg F.
73-7	47274			47.03 Mgal	336 Deg F.
74-7	47265			60.93 Mgal	331 Deg F.
76-7	47278			67.23 Mgal	324 Deg F.
82-7	47288			0.00 Mgal	Not Flowed
84-7	41929			0.00 Mgal	Not Flowed
73B-7	428			62.13 Mgal	332 Deg F.
<b>Totals</b>			<b>35094.3 MWH</b>	<b>460.49 Mgal</b>	

**This report to be filed by the end of the month following the month herein reported**

During the month the Goerenger water well produced injection augmentation fluid for use into 27-32 as follows:

Total	Temperature	Pressure
60.18 Mgal	79 Deg F.	89 psig.

*I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.*

Signature   
 Don Wells

Title Plant General Manager

Telephone (775) 851-1125

Date June 15, 2001



STATE OF NEVADA  
DEPARTMENT OF BUSINESS AND INDUSTRY  
**DIVISION OF MINERALS**  
400 W. King Street, Suite 106  
Carson City, Nevada 89703  
(775) 687-5050

ORIGINAL-Div. File  
DUPLICATE-Div. NBMG

**RECEIVED**

MAY 07 2001

**COMMERCIAL AND INDUSTRIAL CLASS  
GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

*Div. of Minerals*

Company Caithness Dixie Valley, LLC Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511  
Plant/Project Dixie Valley Unit County Churchill Month of April 2001

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 Mgal	Not Flowed
28-33	41243			82.51 Mgal	343 Deg F.
37-33	426PA			77.90 Mgal	274 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			59.21 Mgal	330 Deg F.
73-7	47274			50.62 Mgal	335 Deg F.
74-7	47265			61.21 Mgal	333 Deg F.
76-7	47278			62.32 Mgal	330 Deg F.
82-7	47288			0.00 Mgal	Not Flowed
84-7	41929			0.00 Mgal	Not Flowed
73B-7	428			66.86 Mgal	336 Deg F.
<b>Totals</b>			<b>38980.8 MWH</b>	<b>460.63 Mgal</b>	


This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for use into 27-32 as follows:

Total	Temperature	Pressure
52.62 Mgal	70 Deg F.	76 psig.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature

  
Don Wells

Title

Plant General Manager

Telephone

(775) 851-1125

Date

May 2, 2001

STATE OF NEVADA  
 DEPARTMENT OF BUSINESS AND INDUSTRY  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 687-5050

ORIGINAL-Div. File  
 DUPLICATE-Div. NBMG

**RECEIVED**

**MAY 07 2001**

**Div. of Minerals**

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511  
 Plant/Project Dixie Valley Unit County Churchill Month of March 2001

**PLANT OUTPUT**


Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 Mgal	Not Flowed
28-33	41243			85.63 Mgal	342 Deg F.
37-33	426PA			80.84 Mgal	276 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			61.35 Mgal	330 Deg F.
73-7	47274			52.07 Mgal	335 Deg F.
74-7	47265			63.42 Mgal	333 Deg F.
76-7	47278			64.46 Mgal	331 Deg F.
82-7	47288			0.00 Mgal	Not Flowed
84-7	41929			0.00 Mgal	Not Flowed
73B-7	428			68.78 Mgal	336 Deg F.
<b>Totals</b>			<b>40282.9 MWH</b>	<b>476.56 Mgal</b>	

This report to be filed by the end of the month following the month herein reported

During the month the Goerenger water well produced injection augmentation fluid for use into 27-32 as follows:

Total	Temperature	Pressure
56.03 Mgal	73 Deg F.	77 psig.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature   
 Don Wells  
 Title Plant General Manager  
 Telephone (775) 851-1125  
 Date April 30, 2001

STATE OF NEVADA  
 DEPARTMENT OF BUSINESS AND INDUSTRY  
**DIVISION OF MINERALS**  
 400 W. King Street, Suite 106  
 Carson City, Nevada 89703  
 (775) 687-5050

ORIGINAL-Div. File  
 DUPLICATE-Div. NBMG

**RECEIVED**

**FEB 27 2001**

**COMMERCIAL AND INDUSTRIAL CLASS  
 GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

**Div. of Minerals**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89511  
 Plant/Project Dixie Valley Unit County Churchill Month of January 2001

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 Mgal	Not Flowed
28-33	41243			88.10 Mgal	341 Deg F.
37-33	426PA			83.17 Mgal	273 Deg F.
45-33	47142			0.00 Mgal	Not Flowed
63-7	47214			52.93 Mgal	328 Deg F.
73-7	47274			54.05 Mgal	335 Deg F.
74-7	47265			62.37 Mgal	332 Deg F.
76-7	47278			65.56 Mgal	331 Deg F.
82-7	47288			0.00 Mgal	Not Flowed
84-7	41929			0.00 Mgal	Not Flowed
73B-7	428			71.41 Mgal	336 Deg F.
<b>Totals</b>			<b>39104.3 MWH</b>	<b>477.59 Mgal</b>	

**This report to be filed by the end of the month following the month herein reported**

During the month the Goerenger water well produced injection augmentation fluid for use into 27-32 as follows:

Total	Temperature	Pressure
56.97 Mgal	65 Deg F.	100 psig.

*I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.*

Signature *Missy Payne*  
 Missy Payne  
 Title Sr. Compliance Coordinator  
 Telephone (775) 851-1125  
 Date February 6, 2001