

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

JAN 18 2006

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Division of Minerals

Company Caithness Dixie Valley, LLC Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89521

Project Dixie Valley Unit County Churchill Month of December 2005

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 MMgal	Not Flowed
28-33	41243			102.40 MMgal	343 Deg F.
37-33	426PA			98.38 MMgal	341 Deg F.
45-33	47142			0.00 MMgal	Not Flowed
63-7	47214			69.58 MMgal	329 Deg F.
73-7	47274			57.40 MMgal	328 Deg F.
73B-7	428			75.79 MMgal	334 Deg F.
74-7	47265			72.88 MMgal	332 Deg F.
76-7	47278			60.13 MMgal	329 Deg F.
82-7	47288			0.00 MMgal	Not Flowed
84-7	41929			0.00 MMgal	Not Flowed
Totals		42,624.0 MWH	38,687.3 MWH	536.56 MMgal	

This report to be filed by the end of the month following the month herein reported

Water produced for injection augmentation:	Temp.	Production	Pressure
73W-7	80 Deg F.	4.46 MMgal	186 psig.
Goerenger	64 Deg F.	27.61 MMgal	149 psig.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Don Wells

Position Plant Manager

Telephone (775) 423-6535

Date January 10, 2006

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

AW

RECEIVED
 DEC 15 2005
 Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89521

Project Dixie Valley Unit County Churchill Month of November 2005

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 MMgal	Not Flowed
28-33	41243			791.82 MMgal	344 Deg F.
37-33	426PA			745.69 MMgal	341 Deg F.
45-33	47142			0.00 MMgal	Not Flowed
63-7	47214			525.57 MMgal	329 Deg F.
73-7	47274			421.00 MMgal	329 Deg F.
73B-7	428			555.80 MMgal	334 Deg F.
74-7	47265			542.67 MMgal	332 Deg F.
76-7	47278			0.00 MMgal	329 Deg F.
82-7	47288			0.00 MMgal	Not Flowed
84-7	41929			0.00 MMgal	Not Flowed
Totals		48,715.5 MWH	44,213.4 MWH	560.12 MMgal	

This report to be filed by the end of the month following the month herein reported

Water produced for injection augmentation:	Temp.	Production	Pressure
73W-7	80 Deg F.	343.41 MMgal	185 psig.
Goerenger	Not Flowed	0.00 MMgal	Not Flowed

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature *Don Wells*
 Don Wells

Position Plant Manager

Telephone (775) 423-6535

Date December 8, 2005

Caithness Dixie Valley, LLC

9790 Gateway Drive, Suite 220
Reno, Nevada 89521
(775) 851-1125 • Fax: (775) 851-8240

RECEIVED
DEC 15 2005
Division of Minerals

December 13, 2005

Ms. Linda Wells
Division of Minerals
400 West King Street, Suite 106
Carson City, NV 89703

Dear Linda:

Enclosed are the Monthly Reports of Production and Injection for the Caithness Dixie Valley Power Project plus a copy for the Nevada Bureau of Mines and Geology.

Please call should you have any questions. My direct office line is 850-2266.

Sincerely,



Missy Miller, Sr. Compliance Coordinator

RECEIVED ^{cu}

NOV 18 2005

Division of Minerals

STATE OF NEVADA
COMMISSION ON MINERAL RESOURCES

ORIGINAL-Div. File
DUPLICATE-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106
Carson City, Nevada 89703
(775) 684-7040

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89521

Project Dixie Valley Unit County Churchill Month of October 2005

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 MMgal	Not Flowed
28-33	41243			110.00 MMgal	345 Deg F.
37-33	426PA			103.60 MMgal	340 Deg F.
45-33	47142			0.00 MMgal	Not Flowed
63-7	47214			73.51 MMgal	326 Deg F.
73-7	47274			58.49 MMgal	328 Deg F.
73B-7	428			81.62 MMgal	334 Deg F.
74-7	47265			72.87 MMgal	332 Deg F.
76-7	47278			60.04 MMgal	328 Deg F.
82-7	47288			0.00 MMgal	Not Flowed
84-7	41929			0.00 MMgal	Not Flowed
Totals		48,715.5 MWH	44,213.4 MWH	560.12 MMgal	

This report to be filed by the end of the month following the month herein reported

Water produced for injection augmentation:	Temp.	Production	Pressure
73W-7	80 Deg F.	46.96 MMgal	185 psig.
Goerenger	Not Flowed	0.00 MMgal	Not Flowed

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
Don Wells

Position Plant Manager

Telephone (775) 423-6535

Date November 1, 2005

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

RECEIVED

OCT 19 2005

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89521

Project Dixie Valley Unit County Churchill Month of September 2005

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 MMgal	Not Flowed
28-33	41243			99.81 MMgal	345 Deg F.
37-33	426PA			94.23 MMgal	341 Deg F.
45-33	47142			0.00 MMgal	Not Flowed
63-7	47214			65.73 MMgal	330 Deg F.
73-7	47274			52.81 MMgal	329 Deg F.
73B-7	428			69.76 MMgal	334 Deg F.
74-7	47265			67.94 MMgal	332 Deg F.
76-7	47278			54.38 MMgal	329 Deg F.
82-7	47288			0.00 MMgal	Not Flowed
84-7	41929			0.00 MMgal	Not Flowed
Totals			43,115.2 MWH	504.66 MMgal	

This report to be filed by the end of the month following the month herein reported

Well 73W-7 water produced for injection augmentation fluid during the month:

Total	Temperature	Pressure
48.79 MMgal	84 Deg F.	184 psig.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Missy Miller

Position Sr. Compliance Coordinator

Telephone (775) 850-2266

Date October 17, 2005

RECEIVED

OCT 19 2005

Division of Minerals

Caithness Dixie Valley, LLC

9790 Gateway Drive, Suite 220
Reno, Nevada 89521
851-1125 • Fax: (775) 851-8240

Please request
that
KWH produced
Column be
filled in
Sept 19, 2005
Missy Miller
C

Dear Linda:

Enclosed are the Monthly Reports of Production and Injection for the Caithness Dixie Valley Power Project plus a copy for the Nevada Bureau of Mines and Geology.

Please call should you have any questions. My direct office line is 850-2266.

Sincerely,

Missy Miller

Missy Miller, Sr. Compliance Coordinator

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

SEP 26 2005

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89521

Project Dixie Valley Unit County Churchill Month of August 2005

PLANT OUTPUT


Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 MMgal	Not Flowed
28-33	41243			103.30 MMgal	345 Deg F.
37-33	426PA			97.52 MMgal	340 Deg F.
45-33	47142			0.00 MMgal	Not Flowed
63-7	47214			66.88 MMgal	330 Deg F.
73-7	47274			54.56 MMgal	328 Deg F.
73B-7	428			72.07 MMgal	334 Deg F.
74-7	47265			69.13 MMgal	332 Deg F.
76-7	47278			56.66 MMgal	328 Deg F.
82-7	47288			0.00 MMgal	Not Flowed
84-7	41929			0.00 MMgal	Not Flowed
Totals			44,254.9 MWH	520.11 MMgal	

This report to be filed by the end of the month following the month herein reported

Well ~~73W7~~ water produced for injection augmentation fluid during the month:

Total	Temperature	Pressure
62.07 MMgal	81 Deg F.	174 psig.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Missy Miller

Position Sr. Compliance Coordinator

Telephone (775) 850-2266

Date September 21, 2005

amended

STATE OF NEVADA
COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
400 W. King Street, Suite 106
Carson City, Nevada 89703
(775) 684-7040

ORIGINAL-Div. File
DUPLICATE-Div. NBMG

RECEIVED
SEP 06 2005

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89521

Project Dixie Valley Unit County Churchill Month of July 2005

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 MMgal	Not Flowed
28-33	41243			103.26 MMgal	345 Deg F.
37-33	426PA			97.49 MMgal	340 Deg F.
45-33	47142			0.00 MMgal	Not Flowed
63-7	47214			68.46 MMgal	330 Deg F.
73-7	47274			54.51 MMgal	328 Deg F.
73B-7	428			72.00 MMgal	334 Deg F.
74-7	47265			70.77 MMgal	332 Deg F.
76-7	47278			57.17 MMgal	328 Deg F.
82-7	47288			0.00 MMgal	Not Flowed
84-7	41929			0.00 MMgal	Not Flowed
Totals			43,969.7 MWH	523.65 MMgal	

This report to be filed by the end of the month following the month herein reported

Well ~~73W-7~~ water produced for injection augmentation fluid during the month:

Total	Temperature	Pressure
60.97 MMgal	82 Deg F.	149 psig.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature *Missy Miller*
Missy Miller

Position Sr. Compliance Coordinator

Telephone (775) 850-2266

Date September 1, 2005 Revised

RECEIVED

SEP 06 2005

Division of Minerals

Caithness Dixie Valley, LLC

9790 Gateway Drive, Suite 220

Reno, Nevada 89521

(775) 851-1125 • Fax: (775) 851-8240

September 1, 2005


Ms. Linda Wells
Division of Minerals
400 West King Street, Suite 106
Carson City, NV 89703

Dear Linda:

Enclosed are the revised July Reports of Production and Injection for the Caithness Dixie Valley Power Project plus a copy for the Nevada Bureau of Mines and Geology. Please discard the reports dated August 26th as the data for July 31st was not included.

Please call should you have any questions. My direct office line is 850-2266.

Sincerely,



Missy Miller, Sr. Compliance Coordinator

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

RECEIVED

SEP 02 2005

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89521

Project Dixie Valley Unit County Churchill Month of July 2005

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 MMgal	Not Flowed
28-33	41243			99.95 MMgal	345 Deg F.
37-33	426PA			94.36 MMgal	340 Deg F.
45-33	47142			0.00 MMgal	Not Flowed
63-7	47214			66.31 MMgal	330 Deg F.
73-7	47274			52.68 MMgal	328 Deg F.
73B-7	428			69.60 MMgal	334 Deg F.
74-7	47265			68.55 MMgal	332 Deg F.
76-7	47278			55.32 MMgal	328 Deg F.
82-7	47288			0.00 MMgal	Not Flowed
84-7	41929			0.00 MMgal	Not Flowed
Totals			42,546.2 MWH	506.77 MMgal	

This report to be filed by the end of the month following the month herein reported

Well 73W-7 water produced for injection augmentation fluid during the month:

Total	Temperature	Pressure
55.12 MMgal	82 Deg F.	148 psig.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature Missy Miller
 Missy Miller

Position Sr. Compliance Coordinator

Telephone (775) 850-2266

Date August 26, 2005

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

JUL 18 2005

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89521

Project Dixie Valley Unit County Churchill Month of June 2005

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 MMgal	Not Flowed
28-33	41243			99.91 MMgal	345 Deg F.
37-33	426PA			94.33 MMgal	340 Deg F.
45-33	47142			0.00 MMgal	Not Flowed
63-7	47214			64.63 MMgal	330 Deg F.
73-7	47274			52.79 MMgal	329 Deg F.
73B-7	428			69.74 MMgal	334 Deg F.
74-7	47265			66.81 MMgal	332 Deg F.
76-7	47278			54.17 MMgal	329 Deg F.
82-7	47288			0.00 MMgal	Not Flowed
84-7	41929			0.00 MMgal	Not Flowed
Totals			42,838.6 MWH	502.39 MMgal	

This report to be filed by the end of the month following the month herein reported

Well ~~73W-7~~ water produced for injection augmentation fluid during the month:

Total	Temperature	Pressure
52.29 MMgal	80 Deg F.	91 psig.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature 
 Missy Miller

Position Sr. Compliance Coordinator

Telephone (775) 850-2266

Date July 14, 2005

Caithness Dixie Valley, LLC

9790 Gateway Drive, Suite 220
Reno, Nevada 89521
(775) 851-1125 • Fax: (775) 851-8240

RECEIVED

JUL 18 2005

Division of Minerals

July 14, 2005

Ms. Linda Wells
Division of Minerals
400 West King Street, Suite 106
Carson City, NV 89703

Dear Linda:

Enclosed are the Monthly Reports of Production and Injection for the Caithness Dixie Valley Power Project plus a copy for the Nevada Bureau of Mines and Geology.

Please call should you have any questions.

Sincerely,



Missy Miller, Sr. Compliance Coordinator

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

JUN 09 2005

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89521

Project Dixie Valley Unit County Churchill Month of May 2005

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 MMgal	Not Flowed
28-33	41243			100.61 MMgal	345 Deg F.
37-33	426PA			88.15 MMgal	338 Deg F.
45-33	47142			0.00 MMgal	Not Flowed
63-7	47214			60.25 MMgal	325 Deg F.
73-7	47274			52.21 MMgal	323 Deg F.
73B-7	428			67.45 MMgal	334 Deg F.
74-7	47265			65.30 MMgal	332 Deg F.
76-7	47278			58.53 MMgal	326 Deg F.
82-7	47288			0.00 MMgal	Not Flowed
84-7	41929			0.00 MMgal	Not Flowed
Totals			41,321.4 MWH	492.50 MMgal	

This report to be filed by the end of the month following the month herein reported

Well 73W-7 water produced for injection augmentation fluid during the month:

Total	Temperature	Pressure
44.67 MMgal	79 Deg F.	86 psig.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature *Missy Miller*
 Missy Miller
 Position Sr. Compliance Coordinator
 Telephone (775) 850-2266
 Date June 7, 2005

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

MAY 24 2005

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89521

Project Dixie Valley Unit County Churchill Month of April 2005

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 MMgal	Not Flowed
28-33	41243			99.85 MMgal	344 Deg F.
37-33	426PA			94.27 MMgal	339 Deg F.
45-33	47142			0.00 MMgal	Not Flowed
63-7	47214			66.42 MMgal	330 Deg F.
73-7	47274			52.94 MMgal	331 Deg F.
73B-7	428			69.93 MMgal	334 Deg F.
74-7	47265			68.66 MMgal	332 Deg F.
76-7	47278			55.20 MMgal	330 Deg F.
82-7	47288			0.00 MMgal	Not Flowed
84-7	41929			0.00 MMgal	Not Flowed
Totals			42,786.4 MWH	507.28 MMgal	

This report to be filed by the end of the month following the month herein reported

Well 73W-7 water produced for injection augmentation fluid during the month:

Total	Temperature	Pressure
42.89 MMgal	80 Deg F.	101 psig.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature *Missy Miller*
 Missy Miller

Position Sr. Compliance Coordinator

Telephone (775) 850-2266

Date May 23, 2005

RECEIVED

MAY 24 2005

Division of Minerals

Caithness Dixie Valley, LLC

9790 Gateway Drive, Suite 220
Reno, Nevada 89521
(775) 851-1125 • Fax: (775) 851-8240

May 23, 2005


Ms. Linda Wells
Division of Minerals
400 West King Street, Suite 106
Carson City, NV 89703

Dear Linda:

Enclosed are the Monthly Reports of Production and Injection for the Caithness Dixie Valley Power Project plus a copy for the Nevada Bureau of Mines and Geology.

Please call should you have any questions.

Sincerely,



Missy Miller, Sr. Compliance Coordinator

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

APR 08 2005

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89521

Project Dixie Valley Unit County Churchill Month of March 2005

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 MMgal	Not Flowed
28-33	41243			103.01 MMgal	344 Deg F.
37-33	426PA			97.26 MMgal	339 Deg F.
45-33	47142			0.00 MMgal	Not Flowed
63-7	47214			68.19 MMgal	329 Deg F.
73-7	47274			54.66 MMgal	335 Deg F.
73B-7	428			72.21 MMgal	334 Deg F.
74-7	47265			70.49 MMgal	332 Deg F.
76-7	47278			56.68 MMgal	330 Deg F.
82-7	47288			0.00 MMgal	Not Flowed
84-7	41929			0.00 MMgal	Not Flowed
Totals			44,650.0 MWH	522.49 MMgal	

This report to be filed by the end of the month following the month herein reported

Well ~~73W-7~~ water produced for injection augmentation fluid during the month:

Total	Temperature	Pressure
43.84 MMgal	80 Deg F.	88 psig.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature *Missy Miller*
 Missy Miller

Position Sr. Compliance Coordinator

Telephone (775) 850-2266

Date April 5, 2005

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

DIVISION OF MINERALS

400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

RECEIVED

MAR 09 2005

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89521

Project Dixie Valley Unit County Churchill Month of February 2005

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 MMgal	Not Flowed
28-33	41243			93.94 MMgal	344 Deg F.
37-33	426PA			88.69 MMgal	339 Deg F.
45-33	47142			0.00 MMgal	Not Flowed
63-7	47214			60.86 MMgal	329 Deg F.
73-7	47274			49.60 MMgal	335 Deg F.
73B-7	428			65.52 MMgal	334 Deg F.
74-7	47265			62.91 MMgal	332 Deg F.
76-7	47278			50.83 MMgal	331 Deg F.
82-7	47288			0.00 MMgal	Not Flowed
84-7	41929			0.00 MMgal	Not Flowed
Totals			40,202.8 MWH	472.37 MMgal	

This report to be filed by the end of the month following the month herein reported

Well ~~73W-7~~ water produced for injection augmentation fluid during the month:

Total	Temperature	Pressure
40.55 MMgal	80 Deg F.	101 psig.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature *Missy Payne*
 Missy Payne

Position Sr. Compliance Coordinator

Telephone (775) 850-2266

Date March 8, 2005

STATE OF NEVADA
 COMMISSION ON MINERAL RESOURCES
DIVISION OF MINERALS
 400 W. King Street, Suite 106
 Carson City, Nevada 89703
 (775) 684-7040

ORIGINAL-Div. File
 DUPLICATE-Div. NBMG

RECEIVED

FEB 10 2005

Division of Minerals

**COMMERCIAL AND INDUSTRIAL CLASS
 GEOTHERMAL ELECTRIC PRODUCERS MONTHLY REPORT**

Company Caithness Dixie Valley, LLC Address 9790 Gateway Drive, Suite 220, Reno, Nevada 89521

Project Dixie Valley Unit County Churchill Month of January 2005

PLANT OUTPUT

Well No.	Permit No.	KWH Produced	KWH to Sales	Gallons Produced	Average Temp.
27-33	46951			0.00 MMgal	Not Flowed
28-33	41243			92.16 MMgal	344 Deg F.
37-33	426PA			87.01 MMgal	339 Deg F.
45-33	47142			0.00 MMgal	Not Flowed
63-7	47214			67.86 MMgal	329 Deg F.
73-7	47274			53.93 MMgal	335 Deg F.
73B-7	428			71.14 MMgal	334 Deg F.
74-7	47265			70.35 MMgal	332 Deg F.
76-7	47278			57.59 MMgal	330 Deg F.
82-7	47288			0.00 MMgal	Not Flowed
84-7	41929			0.00 MMgal	Not Flowed
Totals			42,270.5 MWH	500.04 MMgal	

This report to be filed by the end of the month following the month herein reported

Well 73W-7 water produced for injection augmentation fluid during the month:

Total	Temperature	Pressure
36.21 MMgal	80 Deg F.	114 psig.

I hereby certify that the above information given herewith is true, correct, and complete to the best of my knowledge.

Signature Missy Payne
 Missy Payne

Position Sr. Compliance Coordinator

Telephone (775) 850-2266

Date February 7, 2005

Caithness Dixie Valley, LLC

9790 Gateway Drive, Suite 220
Reno, Nevada 89521
(775) 851-1125 • Fax: (775) 851-8240

RECEIVED

FEB 10 2005

Division of Minerals

February 7, 2005

Ms. Linda Wells
Division of Minerals
400 West King Street, Suite 106
Carson City, NV 89703

Dear Linda:

Enclosed are the Monthly Reports of Production and Injection for the Caithness Dixie Valley Power Project plus a copy for the Nevada Bureau of Mines and Geology.

Please call should you have any questions.

Sincerely,



Missy Payne, Sr. Compliance Coordinator